
Approved For Release 2003/08/07 : CIA-RDP80-00809A000500260026-2 DEC 1951 04-00 25X1 COMPRESENTATION. 25X1 CENTRAL INTELLIGENCE AGENCY INFORMATION REPORT 25X1 COUNTRY USSR (Lithuania) REPORT NO. SUBJECT Flour Mill at Toliunai, Lithuania RESPONSIVE TO CD NO. ACE ACQUIRED 00/C NO. ORR NO. 25X1 DAS NO. **ACQUIRED** OCT NO. DATE DISTR.26Nov 1953 DATE (OF INFO.) NO. OF PAGES 5 THE ULITED STATES, SITHER THE MEANING OF TITLE IS. SECTIONS 784, OF THE U.S. CODE. AS AMENDED. I'D THANSMISSION OF REVE NO. OF ENCLS. 3 OF ITS CONTENTS TO OR RECEIPT BY AN UNAUTHGRIZED PERS THE REPRODUCTION OF THIS REPORT IS SUPP. TO THIS IS UNEVALUATED INFORMATION REPORT NO. 25X1 A flour mill owned and operated by my family was located in the village of Toliumci, Adulmania, 20 - 30 ft off the main street. The back of the mill Raced the lavus river, whose current provided power for the mill's operation. The village of Geogobrasti, settled by Rassism settlers at an unknown date, is on the opposite bank of the river. Toliumal children attended school operated by the Burstan church in Googebrasti. The mill was erected about 1900 by a Lithuanian knight who lived in the area. He sold it to a Lithuanian of Jewish ancestry, from whom we purchased the mill in 1998. The building is three-stories high and has an enved-roof. The wells are heavy concrete, three ft thick at the bottom, tapering to six in et the top. The old roof was replaced by a tiled one in 1963. The approximate discensions of the building are 100m40 or free Englosers (A) recation of the million b. The first cloor was primarily for receiving and shipping, but the main shaft only the burstne, power transfers, and belts were located on it. This floor also contained an office, a living room, two bedrooms, and a kitchen. One section of a grain-cleaning mechine was located at this floor, although a unit of the machine was located on all three floors. This machine removed dirt, Poreign matter, and a part of the husb strong the wheat. The cleaned grain was used to make better quality flours. The grain was carried between floors on a bolt conveyor with large cups attached. SEE LAST PAGE FOR SUBJECT & AREA CODES 25X1 DISTRIBUTION - STATE ARMY FB ! This report is for the use within the USA of the Intelligence components of the Departments or Agencies indicated above. It is not to be transmitted overseas without the concurrence of the originating office through the Assistant Director of the Office of Collection and Dissemination, CIA.

25X1

		25X1				
		CONFIDENTIAL 25X1				
,		-,2 -				
25X1	5•	Actual milling operations were on the second floor. There were two stone wheels of conventional type; one a rough wheel to grind coarse mixtures (cattle food), and a liner wheel which ground poorer grades of flour. A milling machine, used to grind better grades of flour, was used in conjunction with the three-unit cleaning machine. These machines were built in Riga, Latvia, about 1909,				
	6.	Three wool-cleaning machines were located on the second floor and were separated from the milling operations by a frame wall. Two of them cleaned the wool; the third brushed and bagged it. These machines were purchased in Germany about 1936. They could be operated only with electricity.				
	7.	The third floor was devoted entirely to storage space. Unmilled grains were lifted to the third floor by a hand operated elevator, and six chutes carried it to the milling floor.				
	8.	The mill could eitler be operated by water power or by a British Crossley Brothers Diesel unit, purchased in 1939, when the river was low. The water or Diesel power agitated a turbine which was directly connected to a generator. Both turbine and generator were German made, the turbine about 1929, the generator about 1930. The generator provided electricity for the illumination of the mill and outbuildings.				
	9.	There was generally sufficient water in the river to operate the mill except in July, August and September. When the river was too low to operate the milling machinery, it was still able to turn the turbine sufficiently to provide electricity. Water power operated the machinery more efficiently than the Diesel unit.				
25X1	10.					
•		l ton rough grains/hr - (oats, cattle food) using the rough stone; 1/2 ton of other grains/hr - (rye, barley, wheat) using smooth stone; and 400-500 lbs/hr of high quality flour using the milling machine.				
25X1						
	11.	The mill employed six workers on a full time basis. Additional workers were hired during the busy season. A maintenance man and carpenter who lived in the vicinity were on call and were paid a monthly retainer. The mill was an extremely lucrative business and I would estimate its value				
25X1		at JS\$75-100 thousand. in early 1946 the Soviet government was operating the mill.				
25X1	12.	Soviet regulation of the mill was very cautious during their 1940-41 occupation of Lithuania. The pation of Lithuania. Would have ultimately confiscated the mill but they did not occupy the country long enough to do so.				
		ENCLOSURE (A): Sketch Showing Area Surrounding the Mill (B): Sketch Showing Layout of the First Floor of Mill (C): Sketch Showing Layout of the Second Floor of Mill				
		·25X1				
		CONFIDENTIAL,				


25X1

Approved For Release 2003/08/07 : CIA-RDP80-00809A000500260026-2



confidential 25X1

SKETCH SHOWING LAYOUT OF THE FIRST FLOOR OF MILL



- (A) Office and Living Space
- (B) Receiving and Shipping Space
- (C) Machinery Space
- (D) Door


ENCLOSURE (B)

(E) Diesel Propulsion Unit

	25X1	
CONFIDENTIAL		
• • •		25X1

		25X1	
•	COMMIDIMITAL		 25X/l
enclosure (c)	<u></u>		•

SKETCH SHOWING LAYOUT OF THE SECOND FLOOR OF MILL



- (A) Grinding Machines
- (B) Flour Machine
- (C) Unit of Cleaning Machine
- (D) Wool Cleaning Machine
- (E) Wool Combing Machine
- (F) Stairs
- (G) Door

LIERARY SUBJECT & AREA CODES

722.311 45M 2/724.1 45M 729.5 45M

	25X1	
CONTIDENSIAL		